

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Mouse anti Human T-Complex Protein 1, subunit, IgG2a, Clone: [F39 P7 F11], Unconjugated, Monoclonal NMB-X2069M

| | |
|----------------------------|---|
| Article Name | Mouse anti Human T-Complex Protein 1, subunit, IgG2a, Clone: [F39 P7 F11], Unconjugated, Monoclonal |
| Biozol Catalog Number | NMB-X2069M |
| Supplier Catalog Number | X2069M |
| Alternative Catalog Number | NMB-X2069M |
| Manufacturer | NordicMubio |
| Host | Mouse |
| Category | Antikörper |
| Application | IHC, WB |
| Species Reactivity | Frog, Human, Mouse, Rat |
| Immunogen | Hybridoma produced by the fusion of splenocytes from BALB/c mice immunized with a synthetic peptide derived from the C-terminal of the TCP-1 protein and mouse myeloma Ag8563 cells. Sequence common in human, frog, mouse, rat |
| Conjugation | Unconjugated |
| Product Description | The protein TCP-1 (t-complex polypeptide 1) is a subunit of the hetero-oligomeric complex CCT (chaperonin containing TCP-1) present in the eukaryotic cytosol. The CCT of eukaryotic cytosol is composed of eight different subunit species that are propo... |
| Clonality | Monoclonal |
| Concentration | See vial for concentration |

| | |
|-------------------|--|
| Clone Designation | [F39 P7 F11] |
| Isotype | IgG2a |
| UniProt | P47207 |
| Buffer | Provided as solution in phosphate buffered saline with 0.08% sodium azide |
| Purity | Protein A/G Chromatography |
| Form | Unconjugated |
| Formula | Provided as solution in phosphate buffered saline with 0.08% sodium azide |
| Application Notes | Antibody can be used for Western blotting (1-2 µg/ml) and immunohistochemistry on formalin-fixed, paraffin-embedded tissue sections (1-5µg/ml). Optimal concentration should be evaluated by serial dilutions. |