

Diagnostica Vertrieb GmbH, Oehleckerring 11-13

22419 Hamburg, Germany

**Telephone:** +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## **Product Datasheet**

## Mouse anti Mouse NKR-P1-A,B,C, Clone: [1C10], Unconjugated, Monoclonal NMB-X1166M

Article Name	Mouse anti Mouse NKR-P1-A,B,C, Clone: [1C10], Unconjugated, Monoclonal
Biozol Catalog Number	NMB-X1166M
Supplier Catalog Number	X1166M
Alternative Catalog Number	NMB-X1166M
Manufacturer	NordicMubio
Host	Mouse
Category	Antikörper
Application	FC, IP, WB
Species Reactivity	Mouse
Conjugation	Unconjugated
Product Description	Natural Killer (NK) cells are large, granular lymphocytes found primarily in peripheral blood, where they make up about 10% of the lymphocyte population. Their function is to defend against certain types of tumor cells and virally infected cells. Whe
Clonality	Monoclonal
Concentration	See vial for concentration
Clone Designation	[1C10]
Isotype	IgG

UniProt	P27811
Buffer	Provided as solution in phosphate buffered saline with 0.08% sodium azide
Source	Hybridoma produced by the fusion of splenocytes from BALB/c mice immunized (BALB/c X C57BL/6)F1 (CbyB6F1) lymphokine-activated killer (LAK) cells and mouse myeloma cell line.
Purity	Protein A/G Chromatography
Application Notes	Recommended starting concentration for Western blot is 1-5 $\mu$ g/ml. Binds to NKR-P1 receptors and induces release of cytokine in SJL/J NK cells.1 Optimal concentration should be evaluated by serial dilutions.