

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Chicken IgY anti-Mouse IgG (Fc)-FITC, MinX none NMB-AMIGFC-F

| | |
|----------------------------|--|
| Article Name | Chicken IgY anti-Mouse IgG (Fc)-FITC, MinX none |
| Biozol Catalog Number | NMB-AMIGFC-F |
| Supplier Catalog Number | AMIGFc-F |
| Alternative Catalog Number | NMB-AMIGFC-F |
| Manufacturer | NordicMubio |
| Host | Gallus |
| Category | Antikörper |
| Application | IHC |
| Species Reactivity | Mouse |
| Conjugation | FITC |
| Format | IgY |
| Target Specificity | IgG (Fc) |
| Cross-Adsorption (MinX) | no cross-adsorbtion |
| Product Description | Chicken anti Mouse IgG Fc fragment, conjugated with FITC, Gallus 0,5 mg... |
| Concentration | See vial for concentration. |
| Buffer | Phosphate buffered saline, pH 7.2, 50% glycerol with 0.075% sodium azide |

| | |
|-------------------|--|
| Source | Chickens were immunized with highly purified IgG from normal mouse serum. After multiple immunizations, eggs were collected and the IgY fraction prepared and the Fc specific antibodies immunoaffinity purified and conjugated to fluorescein isothiocyanate. |
| Purity | Egg-yolk derived IgY Affinity Purified |
| Form | Fluorescein conjugated |
| Formula | Phosphate buffered saline, pH 7.2, 50% glycerol with 0.075% sodium azide |
| Antibody Type | Secondary Antibody |
| Application Notes | This product is suitable for immunohistochemical applications. Optimal working dilutions should be determined for your particular assay conditions. Molar F/P ratio is between 3 and 6. |