

Diagnostica Vertrieb GmbH, Oehleckerring 11-13

22419 Hamburg, Germany

Telephone: +49 (0)89 3799666-6 | Fax: +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Goat anti Dog C3c, conjugated with FITC, Clone: [Polyclonal], Monoclonal NMB-GAD/C3C/FITC

Article Name	Goat anti Dog C3c, conjugated with FITC, Clone: [Polyclonal], Monoclonal
Biozol Catalog Number	NMB-GAD/C3C/FITC
Supplier Catalog Number	GAD/C3c/FITC
Alternative Catalog Number	NMB-GAD/C3C/FITC
Manufacturer	NordicMubio
Host	Goat
Category	Antikörper
Conjugation	FITC
Product Description	In immunoelectrophoresis against fresh dog serum, a single precipitin line is obtained in the beta-1 region representing native C3. Against serum containing partly activated C3, a precipitin line is obtained which extends from the beta-1 into the alp
Clonality	Monoclonal
Clone Designation	[Polyclonal]
UniProt	F1PGM1
Buffer	Fluorochrome-coupled purified hyperimmune IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2) No preservative added, as it may interfere with the antibody activity. It is reconstituted by adding 1 ml sterile distilled water, spun d

Source	C3c is the major fragment resulting from C3 cleavage by C3 convertase and factor I. It is composed of an intact beta chain bound to two fragments of the alpha chain. C3c is isolated and purified from pooled normal dog serum. Freunds complete adjuvant is
Formula	Fluorochrome-coupled purified hyperimmune IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2) No preservative added, as it may interfere with the antibody activity.
Application Notes	ELISA,Immunocytochemistry,Immunohistochemistry (frozen),(In)direct immunofluorescence.