

Diagnostica Vertrieb GmbH, Oehleckerring 11-13

22419 Hamburg, Germany

Telephone: +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Goat anti Dog fibrinogen, conjugated with FITC, Clone: [Polyclonal], Monoclonal NMB-GAD/FBG/FITC

Article Name	Goat anti Dog fibrinogen, conjugated with FITC, Clone: [Polyclonal], Monoclonal
Biozol Catalog Number	NMB-GAD/FBG/FITC
Supplier Catalog Number	GAD/Fbg/FITC
Alternative Catalog Number	NMB-GAD/FBG/FITC
Manufacturer	NordicMubio
Host	Goat
Category	Antikörper
Conjugation	FITC
Product Description	The reactivity of the antiserum is restricted to fibrinogen. In immunoelectrophoresis and radial immunodiffusion (Ouchterlony), using various antiserum concentrations against normal dog plasma a single precipitin line is obtained which shows a reacti
Clonality	Monoclonal
Clone Designation	[Polyclonal]
UniProt	P68213
Buffer	Fluorochrome-coupled purified hyperimmune IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2) No preservative added, as it may interfere with the antibody activity. It is reconstituted by adding 1 ml sterile distilled water, spun d

Source	Fibrinogen (clotting factor I) is a heat labile beta glycoprotein present in plasma. It is the precursor of fibrin, which is the key protein constituting the network of the blood clot. Thrombin converts fibrinogen to fibrin by limited proteolysis. Fibrin
Formula	Fluorochrome-coupled purified hyperimmune IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2) No preservative added, as it may interfere with the antibody activity.
Application Notes	ELISA,Immunocytochemistry,Immunohistochemistry (frozen),(In)direct immunofluorescence.