

Diagnostica Vertrieb GmbH, Oehleckerring 11-13

22419 Hamburg, Germany

Telephone: +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Goat IgG anti-Dog IgG (H+L)-HRPO, MinX none NMB-GAD/IGG(H+L)/PO

Article Name	Goat IgG anti-Dog IgG (H+L)-HRPO, MinX none
Biozol Catalog Number	NMB-GAD/IGG(H+L)/PO
Supplier Catalog Number	GAD/IgG(H+L)/PO
Alternative Catalog Number	NMB-GAD/IGG(H+L)/PO
Manufacturer	NordicMubio
Host	Goat
Category	Antikörper
Species Reactivity	Canine
Conjugation	HRPO
Format	IgG
Target Specificity	IgG (H+L)
Cross-Adsorption (MinX)	no cross-adsorbtion
Product Description	The reactivity of the antiserum is directed to the Fc and Fab subunits of the IgG molecule. It includes a certain degree of reactivity with other immunoglobulins via the common Fab portion. It does not react with any non-Ig protein in dog serum, as t
Clonality	Polyclonal
Clone Designation	[Polyclonal]

Buffer	Peroxidase-coupled purified hyperimmune goat IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2). No preservative added, as it may interfere with the antibody activity. It is reconstituted by adding 1 ml sterile distilled water, sp
Source	Purified normal IgG isolated from pooled dog serum. Freunds complete adjuvant is used in the first step of the immunization procedure.
Formula	Peroxidase-coupled purified hyperimmune goat IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2). No preservative added, as it may interfere with the antibody activity.
Antibody Type	Secondary Antibody
Application Notes	ELISA,Immunocytochemistry,Immunohistochemistry (paraffin),Dot blot,Immunoblotting.