

Diagnostica Vertrieb GmbH, Oehleckerring 11-13

22419 Hamburg, Germany

Telephone: +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Goat IgG anti-Dog IgM (μ)-HRPO, MinX none NMB-GAD/IGM(FC)/PO

| Article Name | Goat IgG anti-Dog IgM (μ)-HRPO, MinX none |
|----------------------------|--|
| Biozol Catalog Number | NMB-GAD/IGM(FC)/PO |
| Supplier Catalog Number | GAD/IgM(Fc)/PO |
| Alternative Catalog Number | NMB-GAD/IGM(FC)/PO |
| Manufacturer | NordicMubio |
| Host | Goat |
| Category | Antikörper |
| Species Reactivity | Canine |
| Conjugation | HRPO |
| Format | IgG |
| Target Specificity | IgM (μ) |
| Cross-Adsorption (MinX) | no cross-adsorbtion |
| Product Description | The reactivity of the antiserum is directed to the Fc subunit of the IgM molecule which expresses strict isotypic (class) specificity. It does not react with any non-Ig protein in dog serum, as tested by immunoelectrophoresis and double radial immuno |
| Clonality | Polyclonal |
| Clone Designation | [Polyclonal] |

| Buffer | Horseradish peroxidase-coupled purified hyperimmune goat IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2). No preservative added, as it may interfere with the antibody activity. It is reconstituted by adding 1 ml sterile distill |
|-------------------|--|
| Source | Purified normal IgM isolated from pooled dog serum. Freunds complete adjuvant is used in the first step of the immunization procedure. |
| Formula | Horseradish peroxidase-coupled purified hyperimmune goat IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2). No preservative added, as it may interfere with the antibody activity. |
| Antibody Type | Secondary Antibody |
| Application Notes | ELISA,Immunocytochemistry,Immunohistochemistry (paraffin),Dot blot,Immunoblotting. |