

Diagnostica Vertrieb GmbH, Oehleckerring 11-13

22419 Hamburg, Germany

Telephone: +49 (0)89 3799666-6 | Fax: +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## **Product Datasheet**

## Goat IgG anti-Guinea Pig IgG (F(ab')2)-FITC, MinX none NMB-GAGP/FAB/FITC

Article Name	Goat IgG anti-Guinea Pig IgG (F(ab')2)-FITC, MinX none
Biozol Catalog Number	NMB-GAGP/FAB/FITC
Supplier Catalog Number	GAGp/Fab/FITC
Alternative Catalog Number	NMB-GAGP/FAB/FITC
Manufacturer	NordicMubio
Host	Goat
Category	Antikörper
Species Reactivity	Guinea pig
Conjugation	FITC
Format	IgG
Target Specificity	IgG (F(ab')2)
Cross-Adsorption (MinX)	no cross-adsorbtion
Product Description	The reactivity of the antiserum is directed to the Fab subunits of intact IgG, IgA IgM and other Ig classes of both light chain types, with their Fab or F(ab)2 subunits, and with free light chains of kappa and lambda type. In immunoelectrophoresis an
Clonality	Polyclonal
Clone Designation	[Polyclonal]

Buffer	FITC-coupled purified hyperimmune goat IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2). No preservative added as it may interfere with he antibody activity. It is reconstituted by adding 1 ml sterile distilled water, spun down
Source	Purified normal Fab of polyclonal guinea pig IgG. Freunds complete adjuvant is used in the first step of the immunization procedure.
Formula	FITC-coupled purified hyperimmune goat IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2). No preservative added as it may interfere with he antibody activity.
Antibody Type	Secondary Antibody
Application Notes	ELISA,Immunocytochemistry,Immunohistochemistry (frozen),(In)direct immunofluorescence.