

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

### Goat anti Human IgG Fab, Clone: [Polyclonal], Monoclonal NMB-GAHU/FAB

Article Name	Goat anti Human IgG Fab, Clone: [Polyclonal], Monoclonal
Biozol Catalog Number	NMB-GAHU/FAB
Supplier Catalog Number	GAHu/Fab
Alternative Catalog Number	NMB-GAHU/FAB
Manufacturer	NordicMubio
Host	Goat
Category	Antikörper
Species Reactivity	Human
Conjugation	Unconjugated
Format	Antiserum
Target Specificity	IgG (F(ab')2)
Cross-Adsorption (MinX)	Bovine,Feline,Gallus,Canine,Guinea pig,Hamster (all),Equine,Mouse,Rabbit,Rat,Sheep,Porcine
Product Description	The antiserum is reacting with the Fab subunit of intact IgG, IgA and IgM and other Ig classes of both light chain types, with their Fab or F(ab)2 subunits and with free light chains of kappa and lambda type as tested in immunoelectrophoresis and dou...
Clonality	Monoclonal
Clone Designation	[Polyclonal]

Buffer	Delipidated, heat inactivated lyophilized stable whole serum 0.1% sodium azide. Total protein and IgG concentration in the antiserum are comparable to those of pooled goat serum. No foreign proteins added. It is reconstituted by adding 1 ml sterile distil
Source	Purified Fab of normal human IgG. Freunds complete adjuvant is used in the first step of the immunization procedure.
Formula	Delipidated, heat inactivated lyophilized stable whole serum 0.1% sodium azide. Total protein and IgG concentration in the antiserum are comparable to those of pooled goat serum. No foreign proteins added.
Antibody Type	Secondary Antibody
Application Notes	Precipitation assays. In immunoelectrophoresis use 2 µl or equivalent against 120 µl antiserum. In double radial immunodiffusion (Ouchterlony) use a rosette arrangement with 10 µl antiserum in a 3 mm diameter centre well and 2 µl serum samples (neat and diluted) in 2 mm diameter peripheral wells.