

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Goat anti Human IgM (Fc specific), conjugated with Biotin, Clone: [Polyclonal], Monoclonal NMB-GAHU/IGM(FC)/BIO

| | |
|----------------------------|---|
| Article Name | Goat anti Human IgM (Fc specific), conjugated with Biotin, Clone: [Polyclonal], Monoclonal |
| Biozol Catalog Number | NMB-GAHU/IGM(FC)/BIO |
| Supplier Catalog Number | GAHu/IgM(Fc)/Bio |
| Alternative Catalog Number | NMB-GAHU/IGM(FC)/BIO |
| Manufacturer | NordicMubio |
| Host | Goat |
| Category | Antikörper |
| Species Reactivity | Human |
| Conjugation | Biotin |
| Format | IgG |
| Target Specificity | IgM (μ) |
| Cross-Adsorption (MinX) | no cross-adsorbtion |
| Product Description | The reactivity of the antiserum is directed to the Fc subunit of the IgM molecule which expresses strict isotypic (class) specificity. In immunoelectrophoresis and double radial immunodiffusion using various antiserum concentrations against normal hu... |
| Clonality | Monoclonal |
| Clone Designation | [Polyclonal] |

| | |
|-------------------|---|
| Buffer | Biotin-coupled purified hyperimmune goat IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2). No preservative added, as it may interfere with the antibody activity. It is reconstituted by adding 1 ml sterile distilled water, spun do |
| Source | Purified normal IgM isolated from pooled human serum. Immunization with intact (19S) and split IgM (7S). Freunds complete adjuvant is used in the first step of the immunization procedure. |
| Form | Biotin |
| Formula | Biotin-coupled purified hyperimmune goat IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2). No preservative added, as it may interfere with the antibody activity. |
| Antibody Type | Secondary Antibody |
| Application Notes | ELISA, Immunocytochemistry, Immunohistochemistry (paraffin), Dot blot, Immunoblotting. |