

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Goat anti Mouse C3c, conjugated with Horseradish peroxidase, Clone: [Polyclonal], HRP, Monoclonal NMB-GAM/C3C/PO

| | |
|----------------------------|---|
| Article Name | Goat anti Mouse C3c, conjugated with Horseradish peroxidase, Clone: [Polyclonal], HRP, Monoclonal |
| Biozol Catalog Number | NMB-GAM/C3C/PO |
| Supplier Catalog Number | GAM/C3c/PO |
| Alternative Catalog Number | NMB-GAM/C3C/PO |
| Manufacturer | NordicMubio |
| Host | Goat |
| Category | Antikörper |
| Conjugation | HRP |
| Product Description | In immunoelectrophoresis against fresh mouse serum, a single precipitin line is obtained in the beta-1 region representing native C3. Against serum containing partly activated C3, a precipitin line is obtained which extends from the beta-1 into the a... |
| Clonality | Monoclonal |
| Clone Designation | [Polyclonal] |
| Buffer | Peroxidase-coupled purified hyperimmune IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2) No preservative added, as it may interfere with the antibody activity. It is reconstituted by adding 1 ml sterile distilled water, spun down |

| | |
|-------------------|--|
| Source | C3 is the most abundant complement protein in mouse serum. Its biological function strongly resembles that of C3 in man and other laboratory animal species. It has a central role in the activation system being common to both pathways. Activation of C3 is |
| Form | HRP |
| Formula | Peroxidase-coupled purified hyperimmune IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2) No preservative added, as it may interfere with the antibody activity. |
| Application Notes | ELISA,Immunocytochemistry,Immunohistochemistry (paraffin),Dot blot,Immunoblotting. |