

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Goat anti Mouse fibrinogen, Clone: [Polyclonal], Monoclonal NMB-GAM/FBG/7S

Article Name	Goat anti Mouse fibrinogen, Clone: [Polyclonal], Monoclonal
Biozol Catalog Number	NMB-GAM/FBG/7S
Supplier Catalog Number	GAM/Fbg/7S
Alternative Catalog Number	NMB-GAM/FBG/7S
Manufacturer	NordicMubio
Host	Goat
Category	Antikörper
Product Description	The reactivity of the antiserum is restricted to fibrinogen. In immunoelectrophoresis and radial immunodiffusion (Ouchterlony), using various antiserum concentrations against normal mouse plasma a single precipitin line is obtained which shows a reac...
Clonality	Monoclonal
Clone Designation	[Polyclonal]
Buffer	Purified hyperimmune IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2) No preservative added, as it may interfere with the antibody activity.
Source	Fibrinogen (clotting factor I) is a heat labile beta glycoprotein present in plasma. It is the precursor of fibrin, which is the key protein constituting the network of the blood clot. Thrombin converts fibrinogen to fibrin by limited proteolysis. Fibrin
Formula	Purified hyperimmune IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2) No preservative added, as it may interfere with the antibody activity.

Application Notes

Indirect immunofluorescence, ELISA, Dot blot, Immunoblotting. The lyophilized IgG fraction is shipped at ambient temperature and may be stored at +4C, prolonged storage at or below -20C. Reconstitute the lyophilized antiserum by adding 1 ml sterile distilled water. Dilutions may be prepared by adding phosphate buffered saline (PBS, pH 7.2). Repeated thawing and freezing should be avoided. If a slight precipitation occurs upon storage, this should be removed by centrifugation. It will not affect the performance of the antiserum. Diluted antiserum should be stored at +4C, not refrozen, and preferably used the same day.