

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Goat IgG anti-Mouse IgG (Fc)-unconj., MinX Bo,Ca,Ck,Dg,Ho,Hu,Mo,Rb,Sh,Sw NMB-GAM/IGG(FC)/7S

| | |
|----------------------------|---|
| Article Name | Goat IgG anti-Mouse IgG (Fc)-unconj., MinX Bo,Ca,Ck,Dg,Ho,Hu,Mo,Rb,Sh,Sw |
| Biozol Catalog Number | NMB-GAM/IGG(FC)/7S |
| Supplier Catalog Number | GAM/IgG(Fc)/7S |
| Alternative Catalog Number | NMB-GAM/IGG(FC)/7S |
| Manufacturer | NordicMubio |
| Host | Goat |
| Category | Antikörper |
| Species Reactivity | Mouse |
| Conjugation | Unconjugated |
| Format | IgG |
| Target Specificity | IgG (Fc) |
| Cross-Adsorption (MinX) | Bovine,Feline,Gallus,Canine,Equine,Human,Monkey,Rabbit,Sheep,Porcine |
| Product Description | The reactivity of the antiserum is directed to the Fc subunit of the IgG molecule. The antiserum contains antibodies to subclass-specific determinants as well as to determinants shared by two or more subclasses of IgG. In immunoelectrophoresis and do... |
| Clonality | Polyclonal |
| Clone Designation | [Polyclonal] |

| | |
|-------------------|--|
| Buffer | Purified hyperimmune goat IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2). No preservative added, as it may interfere with the antibody activity. No foreign protein added. It is reconstituted by adding 1 ml sterile distilled wa |
| Source | Purified normal IgG, including all known subclasses, isolated from pooled mouse serum. Freund's complete adjuvant is used in the first step of the immunization procedure. |
| Formula | Purified hyperimmune goat IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2). No preservative added, as it may interfere with the antibody activity. No foreign protein added. |
| Antibody Type | Secondary Antibody |
| Application Notes | Indirect immunofluorescence,ELISA,Dot blot,Immunoblotting. |