

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Goat IgG anti-Mouse IgG (Fc)-TRITC, MinX Bo,Ca,Ck,Dg,Ho,Hu,Mo,Rb,Sh,Sw NMB-GAM/IGG(FC)/TRITC

Article Name	Goat IgG anti-Mouse IgG (Fc)-TRITC, MinX Bo,Ca,Ck,Dg,Ho,Hu,Mo,Rb,Sh,Sw
Biozol Catalog Number	NMB-GAM/IGG(FC)/TRITC
Supplier Catalog Number	GAM/IgG(Fc)/TRITC
Alternative Catalog Number	NMB-GAM/IGG(FC)/TRITC
Manufacturer	NordicMubio
Host	Goat
Category	Antikörper
Species Reactivity	Mouse
Conjugation	TRITC
Format	IgG
Target Specificity	IgG (Fc)
Cross-Adsorption (MinX)	Bovine,Feline,Gallus,Canine,Equine,Human,Monkey,Rabbit,Sheep,Porcine
Product Description	The reactivity of the antiserum is directed to the Fc subunit of the IgG molecule. The antiserum contains antibodies to subclass-specific determinants as well as to determinants shared by two or more subclasses of IgG. In immunoelectrophoresis and do...
Clonality	Polyclonal
Clone Designation	[Polyclonal]

Buffer	TRITC-coupled purified hyperimmune goat IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2) No preservative added, as it may interfere with the antibody activity. It is reconstituted by adding 1 ml sterile distilled water, spun down
Source	Purified normal IgG, including all known subclasses, isolated from pooled mouse serum. Freunds complete adjuvant is used in the first step of the immunization procedure.
Form	TRITC
Formula	TRITC-coupled purified hyperimmune goat IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2) No preservative added, as it may interfere with the antibody activity.
Antibody Type	Secondary Antibody
Application Notes	ELISA, Immunocytochemistry, Immunohistochemistry (frozen), (In)direct immunofluorescence.