

Diagnostica Vertrieb GmbH, Oehleckerring 11-13

22419 Hamburg, Germany

Telephone: +49 (0)89 3799666-6 | Fax: +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## **Product Datasheet**

## Goat IgG anti-Mouse IgG+IgM+IgA (Fc)-HRPO, MinX none NMB-GAM/IG(FC)/PO

Article Name	Goat IgG anti-Mouse IgG+IgM+IgA (Fc)-HRPO, MinX none
Biozol Catalog Number	NMB-GAM/IG(FC)/PO
Supplier Catalog Number	GAM/Ig(Fc)/PO
Alternative Catalog Number	NMB-GAM/IG(FC)/PO
Manufacturer	NordicMubio
Host	Goat
Category	Antikörper
Species Reactivity	Mouse
Conjugation	HRPO
Format	IgG
Target Specificity	IgG+IgM+IgA (Fc)
Cross-Adsorption (MinX)	no cross-adsorbtion
Product Description	The reactivity of the antiserum is directed to the Fc subunits of the major isotypes of the mouse immunoglobulin system. No reaction is obtained with purified IgG/Fab or any non-Ig protein of mouse serum, as tested by immunoelectrophoresis and double
Clonality	Polyclonal
Clone Designation	[Polyclonal]

Buffer	Peroxidase-coupled purified hyperimmune goat IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2). No preservative added, as it may interfere with the antibody activity. It is reconstituted by adding 1 ml sterile distilled water.
Source	Purified polyclonal mouse IgG, and homogenous IgA and IgM isolated from mouse serum. Freunds complete adjuvant is used in the first step of the immunization procedure.
Formula	Peroxidase-coupled purified hyperimmune goat IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2). No preservative added, as it may interfere with the antibody activity.
Antibody Type	Secondary Antibody
Application Notes	ELISA,Immunocytochemistry,Immunohistochemistry (paraffin),Dot blot,Immunoblotting.