

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Rabbit IgG anti-Mouse IgM (μ)-HRPO, MinX none NMB-RAM/IGM(FC)/PO

| | |
|----------------------------|---|
| Article Name | Rabbit IgG anti-Mouse IgM (μ)-HRPO, MinX none |
| Biozol Catalog Number | NMB-RAM/IGM(FC)/PO |
| Supplier Catalog Number | RAM/IgM(Fc)/PO |
| Alternative Catalog Number | NMB-RAM/IGM(FC)/PO |
| Manufacturer | NordicMubio |
| Host | Rabbit |
| Category | Antikörper |
| Species Reactivity | Mouse |
| Conjugation | HRPO |
| Format | IgG |
| Target Specificity | IgM (μ) |
| Cross-Adsorption (MinX) | no cross-adsorbtion |
| Product Description | The reactivity of the antiserum is directed to the Fc subunit of the IgM molecule which expresses strict isotypic (class) specificity. It does not react with purified IgG, IgG/Fab fragments and IgA or any non-Ig protein in mouse serum, as tested by i... |
| Clonality | Polyclonal |
| Clone Designation | [Polyclonal] |

| | |
|-------------------|--|
| Buffer | Peroxidase-coupled purified hyperimmune rabbit IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2). No preservative added, as it may interfere with the antibody activity It is reconstituted by adding 1 ml sterile distilled water, s |
| Source | Purified homogenous IgM isolated from pooled mouse serum. Immunization with intact (19S) and split IgM (7S). Freund's complete adjuvant is used in the first step of the immunization procedure |
| Form | HRP |
| Formula | Peroxidase-coupled purified hyperimmune rabbit IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2). No preservative added, as it may interfere with the antibody activity |
| Antibody Type | Secondary Antibody |
| Application Notes | ELISA, Immunocytochemistry, Immunohistochemistry (paraffin), Dot blot, Immunoblotting. |