

Diagnostica Vertrieb GmbH, Leipziger Straße 4

85386 Eching, Germany

Telephone: +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Bax Antibody, Rabbit, Polyclonal NSJ-F40098-0.4ML

Article Name Bax Antibody, Rabbit, Polyclonal Biozol Catalog Number NSJ-F40098-0.4ML Supplier Catalog Number F40098-0.4ML Alternative Catalog Number NSJ-F40098-0.4ML Manufacturer NSJ Bioreagents Host Rabbit Category Antikörper Application ELISA, FACS, IHC, WB Species Reactivity Human		
Supplier Catalog Number F40098-0.4ML Alternative Catalog Number NSJ-F40098-0.4ML Manufacturer NSJ Bioreagents Host Rabbit Category Antikörper Application ELISA, FACS, IHC, WB	Article Name	Bax Antibody, Rabbit, Polyclonal
Alternative Catalog Number NSJ-F40098-0.4ML Manufacturer NSJ Bioreagents Host Rabbit Category Antikörper Application ELISA, FACS, IHC, WB	Biozol Catalog Number	NSJ-F40098-0.4ML
Manufacturer NSJ Bioreagents Host Rabbit Category Antikörper Application ELISA, FACS, IHC, WB	Supplier Catalog Number	F40098-0.4ML
Host Rabbit Category Antikörper Application ELISA, FACS, IHC, WB	Alternative Catalog Number	NSJ-F40098-0.4ML
Category Antikörper Application ELISA, FACS, IHC, WB	Manufacturer	NSJ Bioreagents
Application ELISA, FACS, IHC, WB	Host	Rabbit
	Category	Antikörper
Species Reactivity Human	Application	ELISA, FACS, IHC, WB
	Species Reactivity	Human
Immunogen A portion of amino acids 41-76 (BH3 domain) from the human protein was used as the immunogen for this Bax antibody.	mmunogen	·
Product Description hetero- or homodimers and act as anti- or pro-apoptotic regulator	Product Description	Bax belongs to the BCL2 protein family. BCL2 family members form hetero- or homodimers and act as anti- or pro-apoptotic regulators that are involved in a wide variety of cellular activities. Bax forms a heterodimer with BCL2, and functions as an apo
Clonality Polyclonal	Clonality	Polyclonal
Concentration In 1X PBS, pH 7.4, with 0.09% sodium azide	Concentration	In 1X PBS, pH 7.4, with 0.09% sodium azide
Isotype Rabbit Ig	sotype	Rabbit Ig
UniProt Q07812	JniProt	Q07812
Buffer In 1X PBS, pH 7.4, with 0.09% sodium azide	Buffer	In 1X PBS, pH 7.4, with 0.09% sodium azide

Purity	Purified
Form	In 1X PBS, pH 7.4, with 0.09% sodium azide
Target	Bax
Antibody Type	Primary Antibody
Application Dilute	Western blot: 1:1000,IHC (Paraffin): 1:50-1:100,Flow Cytometry: 1:10-1:50
Application Notes	Titration of the Bax antibody may be required due to differences in protocols and secondary/substrate sensitivity.