

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

### **GART HEK293 Cell Transient Overexpression Lysate(Non-Denatured), Human ABN-L101T6**

|                            |                                                                        |
|----------------------------|------------------------------------------------------------------------|
| Article Name               | GART HEK293 Cell Transient Overexpression Lysate(Non-Denatured), Human |
| Biozol Catalog Number      | ABN-L101T6                                                             |
| Supplier Catalog Number    | L101T6                                                                 |
| Alternative Catalog Number | ABN-L101T6-100                                                         |
| Manufacturer               | Abnova                                                                 |
| Host                       | Human                                                                  |
| Category                   | Zellen/Zellkultur                                                      |
| Application                | IP, WB                                                                 |
| Species Reactivity         | Human                                                                  |
| Concentration              | 2 mg/ml                                                                |
| NCBI                       | <a href="#">2618</a>                                                   |
| UniProt                    | 2618                                                                   |
| Buffer                     | In modified RIPA Lysis Buffer.                                         |
| Source                     | HEK293                                                                 |
| Target                     | GART                                                                   |

|                    |                                                                                                                                                                                                                                                 |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Application Dilute | Use it directly for immuno-precipitation, or heat lysate with SDS gel loading buffer to 95C for 5 minutes followed by rapid cooling for western blot application. If dissociating conditions are required, add reducing agent prior to heating. |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|