

Diagnostica Vertrieb GmbH, Oehleckerring 11-13

22419 Hamburg, Germany

Telephone: +49 (0)89 3799666-6 | Fax: +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Alpha-1-Antichymotrypsin (SERPINA3) (Histiocytoma Marker) Antibody, IgG1, Clone: [AACT/1451 + AACT/1452], Mouse, Monoclonal NBT-12-MSM13-P0

Article Name	Alpha-1-Antichymotrypsin (SERPINA3) (Histiocytoma Marker) Antibody, IgG1, Clone: [AACT/1451 + AACT/1452], Mouse, Monoclonal
Biozol Catalog Number	NBT-12-MSM13-P0
Supplier Catalog Number	12-MSM13-P0
Alternative Catalog Number	NBT-12-MSM13-P0-20,NBT-12-MSM13-P0-100
Manufacturer	NeoBiotechnologies
Host	Mouse
Category	Antikörper
Application	IHC
Species Reactivity	Human
Immunogen	Recombinant human Antichymotrypsin (AACT) protein fragment (around aa 49-187) (exact sequence is proprietary)
Product Description	It recognizes a protein of 65-76kDa, which is identified antichymotrypsin (AACT). AACT is a plasma protease inhibitor synthesized in the liver as a single glycopeptide chain. In human, the normal serum level of AACT is about one-tenth that of (TM) 1
Clonality	Monoclonal
Clone Designation	[AACT/1451 + AACT/1452]
Molecular Weight	65-76kDa

Isotype	lgG1
NCBI	12
UniProt	P01011
Form	200ug/ml of Ab purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with0.05% BSA & D.05% azide. Also available WITHOUT BSA & D.05% azide at 1.0mg/ml.
Antibody Type	Monoclonal Antibody
Application Notes	Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT),(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95 °C followed by cooling at RT for 20 minutes),Optimal diluti