

Diagnostica Vertrieb GmbH, Oehleckerring 11-13

22419 Hamburg, Germany

**Telephone:** +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## **Product Datasheet**

## CD15 / FUT4 (Reed-Sternberg Cell Marker) Antibody, IgM, Clone: [Leu-M1, same as MMA], Mouse, Monoclonal NBT-2526-MSM1-P1BX

Article Name	CD15 / FUT4 (Reed-Sternberg Cell Marker) Antibody, IgM, Clone: [Leu-M1, same as MMA], Mouse, Monoclonal
Biozol Catalog Number	NBT-2526-MSM1-P1BX
Supplier Catalog Number	2526-MSM1-P1BX
Alternative Catalog Number	NBT-2526-MSM1-P1BX-100
Manufacturer	NeoBiotechnologies
Host	Mouse
Category	Antikörper
Application	FC, IF, IHC
Species Reactivity	Human
Immunogen	U937 histiocytic cell line
Product Description	CD15 plays a role in mediating phagocytosis, bactericidal activity, and chemotaxis. It is present on s disease. CD15 is occasionally expressed in large cell lymphomas of both B and T phenotypes which otherwise have a quite distinct histological appea
Clonality	Monoclonal
Clone Designation	[Leu-M1, same as MMA]
Molecular Weight	220kDa
Isotype	IgM

NCBI	2526
UniProt	P22083
Form	200ug/ml of Ab purified from Bioreactor Concentrate by Protein L. Prepared in 10mM PBS with 0.05% BSA & D.05% azide. Also available WITHOUT BSA & D.05% azide at 1.0mg/ml.
Antibody Type	Monoclonal Antibody
Application Notes	Flow Cytometry (1-2ug/million cells), Immunofluorescence (1-2ug/ml), Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT)(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min