

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Recombinant Cytokeratin 6A (KRT6A) (Basal Cell Marker) Antibody, Clone: [KRT6/8120R], Rabbit, Monoclonal NBT-3853-RBM10-P1ABX

| | |
|----------------------------|--|
| Article Name | Recombinant Cytokeratin 6A (KRT6A) (Basal Cell Marker) Antibody, Clone: [KRT6/8120R], Rabbit, Monoclonal |
| Biozol Catalog Number | NBT-3853-RBM10-P1ABX |
| Supplier Catalog Number | 3853-RBM10-P1ABX |
| Alternative Catalog Number | NBT-3853-RBM10-P1ABX-100 |
| Manufacturer | NeoBiotechnologies |
| Host | Rabbit |
| Category | Antikörper |
| Application | IHC |
| Species Reactivity | Human |
| Immunogen | Recombinant fragment of human KRT6 (exact sequence is proprietary) |
| Product Description | Cytokeratin 6 is an epidermis-specific type I keratin involved in wound healing. Involved in the activation of follicular keratinocytes after wounding, while it does not play a major role in keratinocyte proliferation or migration. This protein always... |
| Clonality | Monoclonal |
| Clone Designation | [KRT6/8120R] |
| Molecular Weight | 56kDa |
| NCBI | 3853 |

| | |
|-------------------|--|
| UniProt | P02538 |
| Form | 200ug/ml of Ab purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml. |
| Antibody Type | Recombinant Monoclonal Antibody |
| Application Notes | Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT),(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95°C followed by cooling at RT for 20 minutes),Optimal dilutio |