

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Recombinant MCM2 (Proliferation Marker) Antibody, Clone: [MCM2/8006R], Rabbit, Monoclonal NBT-4171-RBM5-P1ABX

| | |
|----------------------------|---|
| Article Name | Recombinant MCM2 (Proliferation Marker) Antibody, Clone: [MCM2/8006R], Rabbit, Monoclonal |
| Biozol Catalog Number | NBT-4171-RBM5-P1ABX |
| Supplier Catalog Number | 4171-RBM5-P1ABX |
| Alternative Catalog Number | NBT-4171-RBM5-P1ABX-100 |
| Manufacturer | NeoBiotechnologies |
| Host | Rabbit |
| Category | Antikörper |
| Application | IHC, WB |
| Species Reactivity | Human |
| Immunogen | Recombinant fragment (aa 1-200) of human MCM2 protein (exact sequence is proprietary) |
| Product Description | The specificity of this monoclonal antibody to its intended target was validated by HuProtTM Array, containing more than 19,000, full-length human proteins. MCM7 is one of the highly conserved mini-chromosome maintenance proteins (MCM) that is essent... |
| Clonality | Monoclonal |
| Clone Designation | [MCM2/8006R] |
| Molecular Weight | 102kDa |
| NCBI | 4171 |

| | |
|-------------------|--|
| UniProt | P49736 |
| Form | 200ug/ml of Ab produced in HEK293 cell mammalian-based expression system. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml. |
| Antibody Type | Recombinant Monoclonal Antibody |
| Application Notes | Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT),(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95°C followed by cooling at RT for 20 minutes),Optimal dilutio |