

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

CD106 / VCAM1 (Activated Endothelial Cell Marker) Antibody, IgG1, Clone: [VCAM1/843], Mouse, Monoclonal NBT-7412-MSM2-P0

Article Name	CD106 / VCAM1 (Activated Endothelial Cell Marker) Antibody, IgG1, Clone: [VCAM1/843], Mouse, Monoclonal
Biozol Catalog Number	NBT-7412-MSM2-P0
Supplier Catalog Number	7412-MSM2-P0
Alternative Catalog Number	NBT-7412-MSM2-P0-20,NBT-7412-MSM2-P0-100
Manufacturer	NeoBiotechnologies
Host	Mouse
Category	Antikörper
Application	IHC
Species Reactivity	Human
Immunogen	Recombinant human VCAM1 protein
Product Description	Recognizes a protein of 110kDa, identified as CD106 (also known as vascular cell adhesion molecule-1 (VCAM-1) and INCAM-100). CD106 is a member of the Ig superfamily of adhesion molecules and is expressed at high levels on cytokine stimulated vascula...
Clonality	Monoclonal
Clone Designation	[VCAM1/843]
Molecular Weight	110kDa
Isotype	IgG1

NCBI	7412
UniProt	P19320
Form	200ug/ml of Ab Purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.
Antibody Type	Monoclonal Antibody
Application Notes	Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT)(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95°C followed by cooling at RT for 20 minutes)Optimal dilution