

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Recombinant Villin (GI-Mucosal & Urogenital Brush Border Marker) Antibody, Clone: [VIL1/8105R], Rabbit, Monoclonal NBT-7429-RBM10-P0

| | |
|----------------------------|---|
| Article Name | Recombinant Villin (GI-Mucosal & Urogenital Brush Border Marker) Antibody, Clone: [VIL1/8105R], Rabbit, Monoclonal |
| Biozol Catalog Number | NBT-7429-RBM10-P0 |
| Supplier Catalog Number | 7429-RBM10-P0 |
| Alternative Catalog Number | NBT-7429-RBM10-P0-20,NBT-7429-RBM10-P0-100 |
| Manufacturer | NeoBiotechnologies |
| Host | Rabbit |
| Category | Antikörper |
| Application | IHC |
| Species Reactivity | Human |
| Immunogen | Recombinant fragment (around aa600-700) of human Villin protein (exact sequence is proprietary) |
| Product Description | Recognizes a protein of 95kDa, which is identified as villin. It is a major constituent in the microvilli, which compose the brush border of epithelial cells forming absorptive surfaces of the intestinal and renal proximal tubular epithelia. Anti-Vil... |
| Clonality | Monoclonal |
| Clone Designation | [VIL1/8105R] |
| Molecular Weight | 93kDa |
| NCBI | 7429 |

| | |
|-------------------|---|
| UniProt | P09327 |
| Form | 200ug/ml of Ab purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml. |
| Antibody Type | Recombinant Monoclonal Antibody |
| Application Notes | Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT),(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes),Optimal dilution f |