

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Recombinant p63 (Squamous, Basal & Myoepithelial Cell Marker) Antibody, IgG2a, Clone: [rTP63/6941], Mouse, Monoclonal NBT-8626-MSM21-P1ABX

| | |
|----------------------------|---|
| Article Name | Recombinant p63 (Squamous, Basal & Myoepithelial Cell Marker) Antibody, IgG2a, Clone: [rTP63/6941], Mouse, Monoclonal |
| Biozol Catalog Number | NBT-8626-MSM21-P1ABX |
| Supplier Catalog Number | 8626-MSM21-P1ABX |
| Alternative Catalog Number | NBT-8626-MSM21-P1ABX-100 |
| Manufacturer | NeoBiotechnologies |
| Host | Mouse |
| Category | Antikörper |
| Application | IHC |
| Species Reactivity | Human |
| Immunogen | Recombinant fragment (around aa1-200) of human TP63 protein (exact sequence is proprietary) |
| Product Description | p63 is a homolog of the tumor suppressor p53. It is identified in basal cells in the epithelial layers of a variety of tissues, including epidermis, cervix, urothelium, breast and prostate. p63 was detected in nuclei of the basal epithelium in normal... |
| Clonality | Monoclonal |
| Clone Designation | [rTP63/6941] |
| Molecular Weight | 63kDa |
| Isotype | IgG2a |

| | |
|-------------------|--|
| NCBI | 8626 |
| UniProt | Q9H3D4 |
| Form | 200ug/ml of Ab produced in HEK293 cell mammalian-based expression system. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml. |
| Antibody Type | Recombinant Monoclonal Antibody |
| Application Notes | Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT),(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95 °C followed by cooling at RT for 20 minutes),Optimal diluti |