

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

### Recombinant CD8A (Cytotoxic- & Suppressor T-Cell Marker) Antibody, Clone: [C8/1779R], Rabbit, Monoclonal NBT-925-RBM9-P0

Article Name	Recombinant CD8A (Cytotoxic- & Suppressor T-Cell Marker) Antibody, Clone: [C8/1779R], Rabbit, Monoclonal
Biozol Catalog Number	NBT-925-RBM9-P0
Supplier Catalog Number	925-RBM9-P0
Alternative Catalog Number	NBT-925-RBM9-P0-20,NBT-925-RBM9-P0-100
Manufacturer	NeoBiotechnologies
Host	Rabbit
Category	Antikörper
Application	IHC
Species Reactivity	Human
Immunogen	Recombinant full-length human CD8a protein
Product Description	CD8 is a cell surface receptor expressed either as a heterodimer with the CD8 beta chain (CD8 alpha/beta) or as a homodimer (CD8 alpha/alpha). A majority of thymocytes and a subpopulation of mature T cells and NK cells express CD8a. CD8 binds to MHC ...
Clonality	Monoclonal
Clone Designation	[C8/1779R]
Molecular Weight	32kDa
NCBI	925

UniProt	P01732
Form	200ug/ml of recombinant MAb Purified by Protein A. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.
Antibody Type	Recombinant Monoclonal Antibody
Application Notes	Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT)(Staining of formalin-fixed tissues is enhanced by heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0 for 45 min at 95&degC followed by cooling at RT for 20 minutes)Optimal dilu