

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Macrophage, pan (Histiocytoma & Sebocyte Marker) Antibody, IgM, Clone: [LN-5], Mouse, Monoclonal NBT-MSM1-59-P0

Article Name	Macrophage, pan (Histiocytoma & Sebocyte Marker) Antibody, IgM, Clone: [LN-5], Mouse, Monoclonal
Biozol Catalog Number	NBT-MSM1-59-P0
Supplier Catalog Number	MSM1-59-P0
Alternative Catalog Number	NBT-MSM1-59-P0-20,NBT-MSM1-59-P0-100
Manufacturer	NeoBiotechnologies
Host	Mouse
Category	Antikörper
Application	IHC
Species Reactivity	Human
Immunogen	Human peripheral blood mononuclear cells
Product Description	This MAb stains the cytoplasm of macrophages and histiocytes in hematopoietic organs, Kupffers cells of the liver and Langerhans cells of the skin. Macrophages comprise of many forms of mononuclear phagocytes found in tissues. Mononuclear phagocytes ...
Clonality	Monoclonal
Clone Designation	[LN-5]
Molecular Weight	Not Known
Isotype	IgM

NCBI	Not Known
Form	200ug/ml of Ab Purified from Bioreactor Concentrate. Prepared in 10mM PBS with 0.05% azide. Also available WITHOUT azide at 1.0mg/ml.
Antibody Type	Monoclonal Antibody
Application Notes	Immunohistochemistry (Formalin-fixed) (0.1-0.2ug/ml for 30 min at RT)(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes), Optimal dilution f