

Diagnostica Vertrieb GmbH, Oehleckerring 11-13

22419 Hamburg, Germany

Telephone: +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Recombinant Cytokeratin 5/6 (Basal, Myoepithelial & Mesothelial Cell Marker) Antibody, Clone: [KRT5.6/8275R], Rabbit, Monoclonal NBT-RBM1-8275-P0

Article Name	Recombinant Cytokeratin 5/6 (Basal, Myoepithelial & Mesothelial Cell Marker) Antibody, Clone: [KRT5.6/8275R], Rabbit, Monoclonal
Biozol Catalog Number	NBT-RBM1-8275-P0
Supplier Catalog Number	RBM1-8275-P0
Alternative Catalog Number	NBT-RBM1-8275-P0-20,NBT-RBM1-8275-P0-100
Manufacturer	NeoBiotechnologies
Host	Rabbit
Category	Antikörper
Application	IHC
Species Reactivity	Human
Immunogen	Recombinant fragments of human Cytokeratin 5 (KRT5) and Cytokeratin 6 proteins (exact sequences are proprietary)
Product Description	Cytokeratin 5 is a basic protein that is closely related to cytokeratin 6. They share similar tissue distribution and are found in various proportions in many non-keratinizing stratified squamous epithelia eg. tongue mucosa, as well as in basal epith
Clonality	Monoclonal
Clone Designation	[KRT5.6/8275R]
Molecular Weight	58kDa (KRT5), 56kDa (KRT6)
NCBI	3852

UniProt	P13647
Form	200ug/ml of Ab produced in HEK293 cell mammalian-based expression system. Prepared in 10mM PBS with 0.05% BSA & amp; 0.05% azide. Also available WITHOUT BSA & amp; azide at 1.0mg/ml.
Antibody Type	Recombinant Monoclonal Antibody
Application Notes	Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT),(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95°C followed by cooling at RT for 20 minutes),Optimal dilutio