

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

### Goat F(ab)2 anti-Human IgG (Fc)-RPE, MinX Bo,Ho,Ms,Rt, Polyclonal ROC-709-1817

|                            |  |
|----------------------------|--|
| Article Name               | Goat F(ab)2 anti-Human IgG (Fc)-RPE, MinX Bo,Ho,Ms,Rt, Polyclonal                          |
| Biozol Catalog Number      | ROC-709-1817   |
| Supplier Catalog Number    | 709-1817   |
| Alternative Catalog Number | ROC-709-1817   |
| Manufacturer               | Rockland Immunochemicals   |
| Host                       | Goat   |
| Category                   | Antikörper   |
| Application                | FACS,IF  |
| Species Reactivity         | Human  |
| Immunogen                  | Anti-Human IgG was produced by repeated immunization with Human IgG F(c) fragment in goat. |
| Conjugation                | RPE  |
| Format                     | F(ab')2  |
| Target Specificity         | IgG (Fc)   |
| Cross-Adsorption (MinX)    | Bovine,Equine,Mouse,Rat  |
| Clonality                  | Polyclonal   |
| Concentration              | 0.5 mg/mL by absorbance = 82.0 at 565 nm   |
| Buffer                     | 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2                                 |
| Form                       | Lyophilized  |

|                    |   |
|--------------------|---|
| Target             | Human   |
| Antibody Type      | Secondary Antibody  |
| Application Dilute | Flow Cytometry: 1:100 - 1:250, IF Microscopy: 1:100 - 1:250   |
| Application Notes  | F(ab)2 Anti-Human IgG F(c) Phycoerythrin Antibody has been tested by dot blot and western blot and is suitable for immunomicroscopy and flow cytometry or FACS analysis as well as other antibody based fluorescent assays requiring extremely low background |