



Diagnostica Vertrieb GmbH, Oehleckerring 11-13

22419 Hamburg, Germany

**Telephone:** +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## **Product Datasheet**

## **TrueBlot Protein G Magnetic Beads ROC-PG00-18-5**

Article Name	TrueBlot Protein G Magnetic Beads
Biozol Catalog Number	ROC-PG00-18-5
Supplier Catalog Number	PG00-18-5
Alternative Catalog Number	ROC-PG00-18-5
Manufacturer	Rockland Immunochemicals
Category	Proteine/Peptide
Application	IP, SDS-PAGE
Conjugation	Unconjugated
Concentration	5mg/ml
NCBI	19909
UniProt	P19909
Buffer	0.01 M Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2
Form	Suspension of Magnetic Beads
Application Dilute	IP: User Optimized, WB: User Optimized
Application Notes	TrueBlot Protein G magnetic beads has been tested by IP and SDS-PAGE and can be used for immunoprecipitation (IP) and Co-IP experiments as well as for antibody purification. For IP, target specific antibody is incubated with cell lysate. Protein G magne