

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

PtX(TM) Mouse Anti-Vascular Endothelial Growth Factor (Biotin) Recombinant Antibody, IgG2a, Plant, Monoclonal CBX-CBT_A0019[B]

| | |
|----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Article Name | PtX(TM) Mouse Anti-Vascular Endothelial Growth Factor (Biotin) Recombinant Antibody, IgG2a, Plant, Monoclonal |
| Biozol Catalog Number | CBX-CBT_A0019[B] |
| Supplier Catalog Number | CBT_A0019[B] |
| Alternative Catalog Number | CBX-CBT_A0019[B]-100 |
| Manufacturer | Cape Biologix Technologies |
| Host | Plant |
| Category | Antikörper |
| Application | ELISA, WB |
| Species Reactivity | Mouse |
| Immunogen | Vascular Endothelial Growth Factor |
| Conjugation | Biotin |
| Product Description | Biotinylated recombinant mouse monoclonal antibody against Vascular Endothelial Growth Factor. This product is produced in Nicotiana benthamiana plants for use in Western blot and ELISA applications.... |
| Clonality | Monoclonal |
| Concentration | 1.0 mg/ml |
| Molecular Weight | 150 kDA |

| | |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| Isotype | IgG2a |
| Sensitivity | Detected from as low as 3,1 ng/ml for WB. Refer to ELISA dose response graph in Datasheet for ELISA sensitivity. |
| UniProt | P15692 |
| Buffer | 0.1 M Phosphate Buffered Saline (PBS), pH = 7.4 |
| Source | Mouse |
| Expression System | N. Benthamiana |
| Purity | 95% as determined by SDS-PAGE |
| Form | Liquid |
| Target | Vascular Endothelial Growth Factor |
| Application Dilute | Suggested dilution is 1: 1 000 - 1: 10 000 for WB and 1: 1 000 - 1: 160 000 for ELISA. Optimal dilutions/concentrations should be determined by the user. |