

Diagnostica Vertrieb GmbH, Oehleckerring 11-13

22419 Hamburg, Germany

Telephone: +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

BOB-1 Antibody / POU2AF1, Clone: [BOB1/7467], Mouse, Monoclonal NSJ-V4178-20UG

BOB-1 Antibody / POU2AF1, Clone: [BOB1/7467], Mouse, Monoclonal
NSJ-V4178-20UG
V4178-20UG
NSJ-V4178-20UG
NSJ Bioreagents
Mouse
Antikörper
IHC-P
Human
A recombinant partial protein (within amino acids 148-255) from the human protein was used as the immunogen for the BOB-1 antibody.
BOB.1 expression in a variety of established B-cell lines, representing different stages of B-cell development, has suggested a constitutive, B-cell-specific expression pattern. LP cells in nodular lymphocyte predominant Hodgkin lymphoma, because the
Monoclonal
[BOB1/7467]
Q16633
Protein A/G affinity

Form	0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced), 0.05% sodium azide
Antibody Type	Primary Antibody
Application Dilute	Immunohistochemistry (FFPE): 1-2ug/ml
Application Notes	Optimal dilution of the BOB-1 antibody should be determined by the researcher.