

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

### RH ENA 78 SHD-100-185-100UG

|                            |   |
|----------------------------|---|
| Article Name               | RH ENA 78   |
| Biozol Catalog Number      | SHD-100-185-100UG   |
| Supplier Catalog Number    | 100-185-100UG   |
| Alternative Catalog Number | SHD-100-185-100UG   |
| Manufacturer               | Fujifilm Irvine Scientific  |
| Category                   | Sonstiges   |
| Application                | Bioassay, SDS-PAGE  |
| Species Reactivity         | Human   |
| Product Description        | Epithelial-derived neutrophil-activating peptide 78 (ENA 78), also known as CXCL5, is a chemokine that recruits neutrophils, promotes angiogenesis, and stimulates connective tissue remodelling. ENA 78 production is stimulated by interleukin 1 (IL-1) ... |
| Molecular Weight           | 8.1   |
| UniProt                    | <a href="#">P42830</a>  |
| Buffer                     | 0.1% Trifluoroacetic Acid (TFA)   |
| Source                     | E.coli  |
| Purity                     | 95  |
| Form                       | Lyophilized from a 0.2 µm filtered solution   |
| Sequence                   | AAVLRELRCV CLQTTQGVHP KMISNLQVFA IGPQCSKVEV VASLKNGKEI<br>CLDPEAPFLK KVIQKILDGG NKEN  |

|                   |  |
|-------------------|--|
| Application Notes | Centrifuge vial before opening. Suspend the product by gently pipetting the above recommended solution down the sides of the vial. DO NOT VORTEX. Allow several minutes for complete reconstitution. For prolonged storage, dilute to working aliquots in a 0. |
|-------------------|--|