



Diagnostica Vertrieb GmbH, Oehleckerring 11-13

22419 Hamburg, Germany

Telephone: +49 (0)89 3799666-6 | Fax: +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

RM FOLLISTATIN SHD-200-24-20UG

Article Name	RM FOLLISTATIN
Biozol Catalog Number	SHD-200-24-20UG
Supplier Catalog Number	200-24-20UG
Alternative Catalog Number	SHD-200-24-20UG
Manufacturer	Fujifilm Irvine Scientific
Category	Sonstiges
Application	Bioassay, SDS-PAGE
Species Reactivity	Mouse
Product Description	Follistatin is an autocrine, activin-binding protein that is ubiquitously expressed with highest expression levels being in the ovary and skin. Follistatin negatively regulates the signaling of transforming growth factor beta (TGF-beta) family member
Molecular Weight	31.6
UniProt	P47931
Buffer	10 mM sodium phosphate, 50 mM sodium chloride, pH 7.5
Source	E.coli
Purity	90
Form	Lyophilized from a 0.2 µm filtered solution

Sequence	MGNCWLRQAK NGRCQVLYKT ELSKEECCST GRLSTSWTEE DVNDNTLFKW MIFNGGAPNC IPCKETCENV DCGPGKKCRM NKKNKPRCVC APDCSNITWK GPVCGLDGKT YRNECALLKA RCKEQPELEV QYQGKCKKTC RDVFCPGSST CVVDQTNNAY CVTCNRICPE PSSSEQYLCG NDGVTYSSAC HLRKATCLLG RSIGLAYEGK CIKAKSCEDI QCGGGKKCLW D
Application Notes	Centrifuge vial before opening. Suspend the product by gently pipetting the above recommended solution down the sides of the vial. DO NOT VORTEX. Allow several minutes for complete reconstitution. For prolonged storage, dilute to working aliquots in a 0.