

Diagnostica Vertrieb GmbH, Leipziger Straße 4

85386 Eching, Germany

Telephone: +49 (0)89 3799666-6 | Fax: +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

EGF Polyclonal Antibody, Cy5 Conjugated, Rabbit BSS-BS-2010R-CY5

Article NameEGF Polyclonal Antibody, Cy5 Conjugated, RabbitBiozol Catalog NumberBSS-BS-2010R-CY5Supplier Catalog NumberBSS-2010R-CY5Alternative Catalog NumberBSS-BS-2010R-CY5-100,BSS-BS-2010R-CY5-20ManufacturerBiossHostRabbitCategoryAntikörperApplicationIF, WBSpecies ReactivityRatConjugationCy5Product DescriptionEGF stimulates the growth of various epidermal and epithelial tissues in vivo and in vitro and of some fibroblasts in cell culture. Magnesiotropic hormone that stimulates magnesium reabsorption in the renal distal convoluted tubule via engagement ofClonalityPolyclonalConcentration1ug/ulNCBI25313BufferAqueous buffered solution containing 0.01M TBS (pH 7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.SourceKLH conjugated synthetic peptide derived from rat EGF		
Supplier Catalog Number BS-2010R-CY5 Alternative Catalog Number BSS-BS-2010R-CY5-100,BSS-BS-2010R-CY5-20 Manufacturer Bioss Host Rabbit Category Antikörper Application IF, WB Species Reactivity Rat Conjugation Cy5 Product Description EGF stimulates the growth of various epidermal and epithelial tissues in vivo and in vitro and of some fibroblasts in cell culture. Magnesiotropic hormone that stimulates magnesium reabsorption in the renal distal convoluted tubule via engagement of Clonality Polyclonal Concentration 1ug/ul NCBI 25313 Buffer Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.	Article Name	EGF Polyclonal Antibody, Cy5 Conjugated, Rabbit
Alternative Catalog Number BSS-BS-2010R-CY5-100,BSS-BS-2010R-CY5-20 Manufacturer Bioss Host Rabbit Category Antikörper Application IF, WB Species Reactivity Rat Conjugation Cy5 EGF stimulates the growth of various epidermal and epithelial tissues in vivo and in vitro and of some fibroblasts in cell culture. Magnesiotropic hormone that stimulates magnesium reabsorption in the renal distal convoluted tubule via engagement of Clonality Polyclonal Concentration 1ug/ul NCBI 25313 Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.	Biozol Catalog Number	BSS-BS-2010R-CY5
Manufacturer Bioss Host Rabbit Category Antikörper Application IF, WB Species Reactivity Rat Conjugation Cy5 EGF stimulates the growth of various epidermal and epithelial tissues in vivo and in vitro and of some fibroblasts in cell culture. Magnesiotropic hormone that stimulates magnesium reabsorption in the renal distal convoluted tubule via engagement of Clonality Polyclonal Concentration 1ug/ul NCBI 25313 Buffer Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.	Supplier Catalog Number	BS-2010R-CY5
Host Rabbit Category Antikörper Application IF, WB Species Reactivity Rat Conjugation Cy5 EGF stimulates the growth of various epidermal and epithelial tissues in vivo and in vitro and of some fibroblasts in cell culture. Magnesiotropic hormone that stimulates magnesium reabsorption in the renal distal convoluted tubule via engagement of Clonality Polyclonal Concentration 1ug/ul NCBI 25313 Buffer Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.	Alternative Catalog Number	BSS-BS-2010R-CY5-100,BSS-BS-2010R-CY5-20
Category Antikörper Application IF, WB Species Reactivity Rat Conjugation Cy5 Froduct Description EGF stimulates the growth of various epidermal and epithelial tissues in vivo and in vitro and of some fibroblasts in cell culture. Magnesiotropic hormone that stimulates magnesium reabsorption in the renal distal convoluted tubule via engagement of Clonality Polyclonal Concentration 1ug/ul NCBI 25313 Buffer Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.	Manufacturer	Bioss
Application IF, WB Species Reactivity Rat Conjugation Cy5 EGF stimulates the growth of various epidermal and epithelial tissues in vivo and in vitro and of some fibroblasts in cell culture. Magnesiotropic hormone that stimulates magnesium reabsorption in the renal distal convoluted tubule via engagement of Clonality Polyclonal Concentration 1ug/ul NCBI 25313 Buffer Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.	Host	Rabbit
Species Reactivity Conjugation Cy5 EGF stimulates the growth of various epidermal and epithelial tissues in vivo and in vitro and of some fibroblasts in cell culture. Magnesiotropic hormone that stimulates magnesium reabsorption in the renal distal convoluted tubule via engagement of Clonality Polyclonal Concentration 1ug/ul NCBI 25313 Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.	Category	Antikörper
Conjugation Cy5 EGF stimulates the growth of various epidermal and epithelial tissues in vivo and in vitro and of some fibroblasts in cell culture. Magnesiotropic hormone that stimulates magnesium reabsorption in the renal distal convoluted tubule via engagement of Clonality Polyclonal Concentration 1ug/ul NCBI 25313 Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.	Application	IF, WB
Product Description EGF stimulates the growth of various epidermal and epithelial tissues in vivo and in vitro and of some fibroblasts in cell culture. Magnesiotropic hormone that stimulates magnesium reabsorption in the renal distal convoluted tubule via engagement of Clonality Polyclonal Concentration 1ug/ul NCBI 25313 Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.	Species Reactivity	Rat
In vivo and in vitro and of some fibroblasts in cell culture. Magnesiotropic hormone that stimulates magnesium reabsorption in the renal distal convoluted tubule via engagement of Clonality Polyclonal Concentration 1ug/ul NCBI 25313 Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.	Conjugation	Cy5
Concentration 1ug/ul NCBI 25313 Buffer Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.	Product Description	in vivo and in vitro and of some fibroblasts in cell culture. Magnesiotropic hormone that stimulates magnesium reabsorption in
NCBI 25313 Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.	Clonality	Polyclonal
Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.	Concentration	1ug/ul
BSA, 0.03% Proclin300 and 50% Glycerol.	NCBI	25313
Source KLH conjugated synthetic peptide derived from rat EGF	Buffer	·
	Source	KLH conjugated synthetic peptide derived from rat EGF

Purity	Purified by Protein A.
Target	EGF
Application Dilute	WB(1:300-5000), IF(IHC-P)(1:50-200), IF(IHC-F)(1:50-200), IF(ICC)(1:50-200)