

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Cytokeratin 19 Antibody [KRT19/799], Unconjugated, Mouse, Monoclonal PRS-33-434

Article Name	Cytokeratin 19 Antibody [KRT19/799], Unconjugated, Mouse, Monoclonal
Biozol Catalog Number	PRS-33-434
Supplier Catalog Number	33-434
Alternative Catalog Number	PRS-33-434-100
Manufacturer	ProSci
Host	Mouse
Category	Antikörper
Application	FC, IF, IHC-P, WB
Species Reactivity	Human
Immunogen	Recombinant human KRT19 protein was used as the immunogen for the Cytokeratin 19 antibody.
Conjugation	Unconjugated
Clonality	Monoclonal
Concentration	0.2 mg/mL
Clone Designation	[KRT19/799]
NCBI	3880
UniProt	P08727
Buffer	PBS with 0.1 mg/ml BSA and 0.05% sodium azide

Form	Liquid
Application Dilute	Optimal dilutions for each application to be determined by the researcher
Application Notes	<p>Flow Cytometry: 0.5-1 ug/million cells in 0.1ml Immunofluorescence: 1-2 ug/ml Immunohistochemistry (FFPE): 0.5-1 ug/ml for 30 min at RT (1) Prediluted format : incubate for 30 min at RT (2) Optimal dilution of the Cytokeratin 19 antibody should be determined by the researcher.</p> <p>1. Staining of formalin-fixed tissues requires boiling tissue sections in 10mM Citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 min</p> <p>2. The prediluted format is supplied in a dropper bottle and is optimized for use in IHC. After epitope retrieval step (if required), drip mAb solution onto the tissue section and incubate at RT for 30 min.</p>