

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

4-1BBL Antibody (biotin), Biotin, Rabbit, Polyclonal PRS-38-125

| | |
|----------------------------|--|
| Article Name | 4-1BBL Antibody (biotin), Biotin, Rabbit, Polyclonal |
| Biozol Catalog Number | PRS-38-125 |
| Supplier Catalog Number | 38-125 |
| Alternative Catalog Number | PRS-38-125-0.05 |
| Manufacturer | ProSci |
| Host | Rabbit |
| Category | Antikörper |
| Application | ELISA, WB |
| Species Reactivity | Human |
| Immunogen | Produced from sera of rabbits pre-immunized with highly pure (>98%) recombinant h4-1BBL (human 4-1BBLigand). Human 4-1BBL specific antibody was purified by affinity chromatography and then biotinylated. |
| Conjugation | Biotin |
| Clonality | Polyclonal |
| Concentration | batch dependent |
| NCBI | 8744 |
| UniProt | P41273 |
| Form | Lyophilized |

| | |
|--------------------|--|
| Application Dilute | Centrifuge vial prior to opening. |
| Application Notes | <p>ELISA:Sandwich:To detect h4-1BBL by sandwich ELISA (using 100 μL/well antibody solution) a concentration of 0.25 - 1.0 μg/mL of this antibody is required. This biotinylated polyclonal antibody, in conjunction with our polyclonal Anti-Human 4-1BBL as a capture antibody, allows the detection of at least 0.2 - 0.4 ng/well of recombinant h4-1BBL. Western Blot:To detect h4-1BBL by Western Blot analysis this antibody can be used at a concentration of 0.1 - 0.2 μg/mL. Used in conjunction with compatible secondary reagents the detection limit for recombinant h4-1BBL is 1.5 - 3.0 ng/lane, under either reducing or non-reducing conditions.</p> |