

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

4-1BB Receptor Antibody, Unconjugated, Goat, Polyclonal PRS-XP-5100

| | |
|----------------------------|---|
| Article Name | 4-1BB Receptor Antibody, Unconjugated, Goat, Polyclonal |
| Biozol Catalog Number | PRS-XP-5100 |
| Supplier Catalog Number | XP-5100 |
| Alternative Catalog Number | PRS-XP-5100-0.1 |
| Manufacturer | ProSci |
| Host | Goat |
| Category | Antikörper |
| Application | ELISA, WB |
| Species Reactivity | Human |
| Immunogen | Produced from sera of goats pre-immunized with highly pure (>98%) recombinant human 4-1BB (Receptor). |
| Conjugation | Unconjugated |
| Clonality | Polyclonal |
| Concentration | batch dependent |
| NCBI | 3604 |
| UniProt | Q07011 |
| Form | Lyophilized |
| Application Dilute | Centrifuge vial prior to opening. |

| | |
|-------------------|---|
| Application Notes | <p>ELISA:To detect h4-1BB (Receptor) by direct ELISA (using 100 µL/well antibody solution) a concentration of at least 0.5 µg/mL of this antibody is required. This antigen affinity purified antibody, in conjunction with compatible secondary reagents, allows the detection of 0.2 - 0.4 ng/well of recombinant h4-1BB (Receptor).</p> <p>Western Blot:To detect h4-1BB (Receptor) by Western Blot analysis this antibody can be used at a concentration of 0.1 - 0.2 µg/mL. Used in conjunction with compatible secondary reagents the detection limit for recombinant h4-1BB (Receptor) is 1.5 - 3.0 ng/lane, under either reducing or non-reducing conditions.</p> |
|-------------------|---|