

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

MCP-4 Antibody, Unconjugated, Rabbit, Polyclonal PRS-XP-5224

Article Name	MCP-4 Antibody, Unconjugated, Rabbit, Polyclonal
Biozol Catalog Number	PRS-XP-5224
Supplier Catalog Number	XP-5224
Alternative Catalog Number	PRS-XP-5224-0.1
Manufacturer	ProSci
Host	Rabbit
Category	Antikörper
Application	ELISA, NeA, WB
Species Reactivity	Human
Immunogen	Produced from sera of rabbits pre-immunized with highly pure (>98%) recombinant hMCP-4 (human Macrophage/Monocyte chemotactic protein-4).
Conjugation	Unconjugated
Clonality	Polyclonal
Concentration	batch dependent
NCBI	6357
UniProt	Q99616
Form	Lyophilized
Application Dilute	Centrifuge vial prior to opening.

Application Notes

Neutralization: To yield one-half maximal inhibition [ND50] of the biological activity of hMCP-4 (30.00 ng/mL), a concentration of 3.0 - 4.0 μ g/mL of this antibody is required. ELISA: To detect hMCP-4 by direct ELISA (using 100 μ L/well antibody solution) a concentration of at least 0.5 μ g/mL of this antibody is required. This antigen affinity purified antibody, in conjunction with compatible secondary reagents, allows the detection of 0.2 - 0.4 ng/well of recombinant hMCP-4. Sandwich: To detect hMCP-4 by sandwich ELISA (using 100 μ L/well antibody solution) a concentration of 0.5 - 2.0 μ g/mL of this antibody is required. This antigen affinity purified antibody, in conjunction with our Biotinylated Anti-Human MCP-4 (XP-5224Bt) as a detection antibody, allows the detection of at least 0.2 - 0.4 ng/well of recombinant hMCP-4. Western Blot: To detect hMCP-4 by Western Blot analysis this antibody can be used at a concentration of 0.1 - 0.2 μ g/mL. Used in conjunction with compatible secondary reagents the detection limit for recombinant hMCP-4 is 1.5 - 3.0 ng/lane, under either reducing or non-reducing conditions.