

Diagnostica Vertrieb GmbH, Oehleckerring 11-13

22419 Hamburg, Germany

Telephone: +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

BCR Rabbit pAb, Unconjugated ABB-A0068

Article Name	BCR Rabbit pAb, Unconjugated
Biozol Catalog Number	ABB-A0068
Supplier Catalog Number	A0068
Alternative Catalog Number	ABB-A0068-100UL,ABB-A0068-20UL,ABB-A0068-1000UL,ABB-A0068-500UL
Manufacturer	ABclonal
Host	Rabbit
Category	Antikörper
Application	ELISA, IHC-P, WB
Species Reactivity	Human
Immunogen	Recombinant protein (or fragment). This information is considered to be commercially sensitive.
Conjugation	Unconjugated
Product Description	A reciprocal translocation between chromosomes 22 and 9 produces the Philadelphia chromosome, which is often found in patients with chronic myelogenous leukemia. The chromosome 22 breakpoint for this translocation is located within the BCR gene. The
Clonality	Polyclonal
Molecular Weight	143kDa
NCBI	613

UniProt	P11274
Purity	Affinity purification
Sequence	MVDPVGFAEAWKAQFPDSEPPRMELRSVGDIEQELERCKASIRRLEQEVNQE RFRMIYLQTLLAKEKKSYDRQRWGFRRAAQAPDGASEPRASASRPQPAPADG ADPPPAEEPEARPDGEGSPGKARPGTARRPGAAASGERDDRGPPASVAALRS NFERIRKGHGQPGADAEKPFYVNVEFHHERGLVKVNDKEVSDRISSLGSQAM QMERKKSQHGAGSSVGDASRPPYRGRSSESSCGVDGDYEDAELNPRF
Target	BCR
Antibody Type	Primary Antibody
Application Dilute	WB,1:500 - 1:2000 IHC-P,1:50 - 1:100 ELISA,Recommended starting concentration is 1 μ g/mL. Please optimize the concentration based on your specific assay requirements.
Application Notes	Cross-Reactivity: Human, Mouse, Rat. Research Area: Protein phosphorylation, Cancer, Signal Transduction, G protein signaling, Small G proteins, Kinase, Serine threonine kinases, PI3K-Akt Signaling Pathway, Immunology Inflammation, B Cell Receptor Signaling Pathway, NF-kB Signaling Pathway