

Diagnostica Vertrieb GmbH, Oehleckerring 11-13

22419 Hamburg, Germany

Telephone: +49 (0)89 3799666-6 | **Fax:** +49 (0)89 3799666-99

E-Mail: info@biozol.de

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

FasLG Rabbit pAb, Unconjugated ABB-A0234

Article Name	FasLG Rabbit pAb, Unconjugated
Biozol Catalog Number	ABB-A0234
Supplier Catalog Number	A0234
Alternative Catalog Number	ABB-A0234-100UL,ABB-A0234-20UL,ABB-A0234-1000UL,ABB-A0234-500UL
Manufacturer	ABclonal
Host	Rabbit
Category	Antikörper
Application	ELISA, IHC-P, WB
Species Reactivity	Human
Immunogen	Synthetic peptide. This information is considered to be commercially sensitive.
Conjugation	Unconjugated
Product Description	This gene is a member of the tumor necrosis factor superfamily. The primary function of the encoded transmembrane protein is the induction of apoptosis triggered by binding to FAS. The FAS/FASLG signaling pathway is essential for immune system regula
Clonality	Polyclonal
Molecular Weight	31kDa
NCBI	356

UniProt	P48023
Purity	Affinity purification
Sequence	MFQLFHLQKELAELRESTSQMHTASSLEKQIGHPSPPPEKKELRKVAHLTGKS NSRSMPLEWEDTYGIVLLSGVKYKKGGLVINETGLYFVYSKVYFRGQSCNNLP LSHKVYMRNSKYPQDLVMMEGKMMSYCTTGQMWARSSYLGAVFNLTSADH LYVNVSELSLVNFEESQTFFGLYKL
Target	FASLG
Antibody Type	Primary Antibody
Application Dilute	WB,1:500 - 1:2000 IHC-P,1:50 - 1:200 ELISA,Recommended starting concentration is 1 μ g/mL. Please optimize the concentration based on your specific assay requirements.
Application Notes	Cross-Reactivity: Human, Mouse. Research Area: Cell Biology Developmental Biology, Apoptosis, Mitochondrial Control of Apoptosis, Death Receptor Signaling Pathway, Immunology Inflammation, CDs, Cytokines, Cell Intrinsic Innate Immunity Signaling Pathway, Stem Cells, Hematopoietic Progenitors