

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

### **Tenascin(T2H5), CF405S conjugate, 0.1mg/mL, Clone: [T2H5], Mouse, Monoclonal BOT-BNC040392-500**

Article Name	Tenascin(T2H5), CF405S conjugate, 0.1mg/mL, Clone: [T2H5], Mouse, Monoclonal
Biozol Catalog Number	BOT-BNC040392-500
Supplier Catalog Number	BNC040392-500
Alternative Catalog Number	BOT-BNC040392-500-500UL
Manufacturer	Biotium
Host	Mouse
Category	Antikörper
Application	IHC
Species Reactivity	Human
Immunogen	Human breast carcinoma
Conjugation	CF405S
Product Description	In Western blotting, this antibody reacts with two bands of ~MW of 210 kDa and 300 kDa, identified as two isoforms of Tenascin C. Specificity of this MAb is validated by sequential immunoprecipitation with a PAb against Tenascin C. Tenascin C is a mu...
Clonality	Monoclonal
Concentration	0.1 mg/mL
Clone Designation	[T2H5]

Molecular Weight	210 kDa and 300 kDa
UniProt	<a href="#">P24821</a>
Buffer	PBS, 0.1% BSA, 0.05% azide
Source	Animal
Application Notes	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 0.5-1 ug/mL Does not react with rat, others not known Immunohistology formalin-fixed 2-4 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM Tris with 1 mM EDTA, pH 9.0, for 10-20 min followed by cooling at RT for 20 minutes Flow Cytometry 0.5-1 ug/million cells/0.1 mL Optimal dilution for a specific application should be determined by user