

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

### **CD35 / CR1(CR1/802), CF405S conjugate, 0.1mg/mL, Clone: [CR1/802], Mouse, Monoclonal BOT-BNC040802-500**

Article Name	CD35 / CR1(CR1/802), CF405S conjugate, 0.1mg/mL, Clone: [CR1/802], Mouse, Monoclonal
Biozol Catalog Number	BOT-BNC040802-500
Supplier Catalog Number	BNC040802-500
Alternative Catalog Number	BOT-BNC040802-500-500UL
Manufacturer	Biotium
Host	Mouse
Category	Antikörper
Application	IHC
Species Reactivity	Human, Monkey, Primate
Immunogen	Recombinant human CR1 protein
Conjugation	CF405S
Product Description	Recognizes a protein of 210-220 kDa, which is identified as the complement receptor 1 (CR1)/CD35. This MAbs does not block CR1 activity. It is highly specific to CR1 and shows no cross-reaction with CR2. The primary function of CR1 is to serve as the ...
Clonality	Monoclonal
Concentration	0.1 mg/mL
Clone Designation	[CR1/802]

Molecular Weight	210-220 kDa
UniProt	<a href="#">P17927</a>
Buffer	PBS, 0.1% BSA, 0.05% azide
Source	Animal
Application Notes	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 1-2 ug/mL Immunohistology formalin-fixed 0.5-1 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minutes Flow Cytometry 0.5-1 ug/million cells/0.1 mL Optimal dilution for a specific application should be determined by user