

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

### **ACTH (Adrenocorticotrophic Hormone) (N-Terminal) (Pituitary Marker) (r57), CF405S conjugate, 0.1mg/mL, Clone: [r57], Mouse, Monoclonal BOT-BNC041380-100**

Article Name	ACTH (Adrenocorticotrophic Hormone) (N-Terminal) (Pituitary Marker) (r57), CF405S conjugate, 0.1mg/mL, Clone: [r57], Mouse, Monoclonal
Biozol Catalog Number	BOT-BNC041380-100
Supplier Catalog Number	BNC041380-100
Alternative Catalog Number	BOT-BNC041380-100-100UL
Manufacturer	Biotium
Host	Mouse
Category	Antikörper
Application	IHC
Species Reactivity	Human, Mouse, Rat
Immunogen	N-terminal fragment of human ACTH conjugated to KLH
Conjugation	CF405S
Product Description	ACTH (same as Corticotropin) is a 39 amino acid active peptide produced by the anterior pituitary. This MAbs is specific to Synacthen (aa1-24 of ACTH), does not react with CLIP (aa17-39 of ACTH). POMC (pro-opiomelanocortin or corticotropin-lipotropin)...
Clonality	Monoclonal
Concentration	0.1 mg/mL
Clone Designation	[r57]

Molecular Weight	ACTH is ~5 kDa
UniProt	<a href="#">P01189</a>
Buffer	PBS, 0.1% BSA, 0.05% azide
Source	Animal
Application Notes	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 0.5-1 ug/mL Immunohistology (formalin): 0.5-1 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 min Flow Cytometry 0.5-1 ug/million cells/0.1 mL ELISA For coating, order Ab without BSA Optimal dilution for a specific application should be determined by user