

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

### **MUC1 / CA15-3 / EMA / CD227 (Epithelial Marker) (MUC1/2729R), CF405S conjugate, 0.1mg/mL, Clone: [MUC1/2729R], Rabbit, Monoclonal BOT-BNC042729-500**

Article Name	MUC1 / CA15-3 / EMA / CD227 (Epithelial Marker) (MUC1/2729R), CF405S conjugate, 0.1mg/mL, Clone: [MUC1/2729R], Rabbit, Monoclonal
Biozol Catalog Number	BOT-BNC042729-500
Supplier Catalog Number	BNC042729-500
Alternative Catalog Number	BOT-BNC042729-500-500UL
Manufacturer	Biotium
Host	Rabbit
Category	Antikörper
Application	IHC
Species Reactivity	Human
Immunogen	Recombinant full-length human MUC1 protein
Conjugation	CF405S
Product Description	In Western blotting, this antibody recognizes proteins in MW range of 265-400 kDa, identified as different glycoforms of EMA. It binds the DTRP epitope in the tandem repeats. The alpha subunit of EMA has cell adhesive properties. It can act both as a...
Clonality	Monoclonal
Concentration	0.1 mg/mL
Clone Designation	[MUC1/2729R]

Molecular Weight	265-400 kDa
UniProt	<a href="#">P15941</a>
Buffer	PBS, 0.1% BSA, 0.05% azide
Source	Animal
Application Notes	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunohistology (formalin): 0.5-1.0 ug/mL for 30 minutes at RT Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 minutes followed by cooling at RT for 20 minutes Optimal dilution for a specific application should be determined by user