

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

CD44 / HCAM Std. (HCAM/2875R), CF405S conjugate, 0.1mg/mL, Clone: [HCAM/2875R], Rabbit, Monoclonal BOT-BNC042875-500

Article Name	CD44 / HCAM Std. (HCAM/2875R), CF405S conjugate, 0.1mg/mL, Clone: [HCAM/2875R], Rabbit, Monoclonal
Biozol Catalog Number	BOT-BNC042875-500
Supplier Catalog Number	BNC042875-500
Alternative Catalog Number	BOT-BNC042875-500-500UL
Manufacturer	Biotium
Host	Rabbit
Category	Antikörper
Application	IHC, WB
Species Reactivity	Human
Immunogen	Stimulated human leukocytes
Conjugation	CF405S
Product Description	This antibody recognizes a cell surface glycoprotein of 80-95 kDa (CD44) on lymphocytes, monocytes, and granulocytes (Leucocyte Typing Workshop V). Its epitope is resistant to digestion by trypsin and chymotrypsin. This MAb selectively interferes wit...
Clonality	Monoclonal
Concentration	0.1 mg/mL
Clone Designation	[HCAM/2875R]

Molecular Weight	80-95 kDa
UniProt	P16070
Buffer	PBS, 0.1% BSA, 0.05% azide
Source	Animal
Application Notes	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunohistology (formalin): 0.25-0.5 ug/mL for 30 minutes at RT Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 minutes followed by cooling at RT for 20 minutes Optimal dilution for a specific application should be determined by user