

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Cytochrome P450 1A1/1A2(MC1), CF405S conjugate, 0.1mg/mL, Clone: [MC1], Mouse, Monoclonal BOT-BNC042907-100

| | |
|----------------------------|---|
| Article Name | Cytochrome P450 1A1/1A2(MC1), CF405S conjugate, 0.1mg/mL, Clone: [MC1], Mouse, Monoclonal |
| Biozol Catalog Number | BOT-BNC042907-100 |
| Supplier Catalog Number | BNC042907-100 |
| Alternative Catalog Number | BOT-BNC042907-100-100UL |
| Manufacturer | Biotium |
| Host | Mouse |
| Category | Antikörper |
| Species Reactivity | Human, Mouse, Primate, Rat |
| Immunogen | 3-methylcholanthrene induced rat cytochrome P450 protein. |
| Conjugation | CF405S |
| Product Description | Cytochrome P450 oxidase (commonly abbreviated CYP) is a generic term for a large number of related, but distinct, oxidative enzymes important in vertebrate physiology. The cytochrome P450 mixed-function monooxygenase system is probably the most impor... |
| Clonality | Monoclonal |
| Concentration | 0.1 mg/mL |
| Clone Designation | [MC1] |
| Molecular Weight | 58 kDa |

| | |
|-------------------|--|
| UniProt | P04798 |
| Buffer | PBS, 0.1% BSA, 0.05% azide |
| Source | Animal |
| Application Notes | For coating for ELISA, order Ab without BSA Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Optimal dilution and staining procedure for a specific application should be determined by user Recommended starting concentrations for titration are 1-2 ug/mL for most applications, or 1 ug/million cells/100 uL for flow cytometry |