

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

**Clostridium difficile (Toxin A)(253/422), CF640R conjugate, 0.1mg/mL,
Clone: [253/422], Mouse, Monoclonal
BOT-BNC400202-500**

| | |
|----------------------------|--|
| Article Name | Clostridium difficile (Toxin A)(253/422), CF640R conjugate, 0.1mg/mL, Clone: [253/422], Mouse, Monoclonal |
| Biozol Catalog Number | BOT-BNC400202-500 |
| Supplier Catalog Number | BNC400202-500 |
| Alternative Catalog Number | BOT-BNC400202-500-500UL |
| Manufacturer | Biotium |
| Host | Mouse |
| Category | Antikörper |
| Species Reactivity | Bacteria |
| Immunogen | C. difficile Toxin A |
| Conjugation | CF640R |
| Product Description | This MAbs reacts with C. difficile Toxin A, but not with Cholera subunit a, Cholera toxin, Pseudomonas aeruginosa exotoxin A, H-LT, P-LT. Clostridium difficile is a major nosocomial pathogen that causes antibiotic- associated colitis. Clostridium diff... |
| Clonality | Monoclonal |
| Concentration | 0.1 mg/mL |
| Clone Designation | [253/422] |
| Molecular Weight | 308 kDa (Toxin A) |

| | |
|-------------------|---|
| UniProt | P16154 |
| Buffer | PBS, 0.1% BSA, 0.05% azide |
| Source | Animal |
| Application Notes | <p>For coating for ELISA, order Ab without BSA Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Optimal dilution and staining procedure for a specific application should be determined by user Recommended starting concentrations for titration are 1-2 ug/mL for most applications, or 1 ug/million cells/100 uL for flow cytometry</p> |