

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

TGFalpha(MF9), CF640R conjugate, 0.1mg/mL, Clone: [MF9], Mouse, Monoclonal BOT-BNC400644-500

| | |
|----------------------------|---|
| Article Name | TGFalpha(MF9), CF640R conjugate, 0.1mg/mL, Clone: [MF9], Mouse, Monoclonal |
| Biozol Catalog Number | BOT-BNC400644-500 |
| Supplier Catalog Number | BNC400644-500 |
| Alternative Catalog Number | BOT-BNC400644-500-500UL |
| Manufacturer | Biotium |
| Host | Mouse |
| Category | Antikörper |
| Application | IHC |
| Species Reactivity | Bovine, Human, Mouse, Rat |
| Immunogen | A 17-amino acid synthetic peptide from the carboxyl-terminus of rat TGF β . |
| Conjugation | CF640R |
| Product Description | This antibody reacts with the C-terminus of TGF alpha and shows no cross-reaction with EGF and the neuropeptide synenkephalin. The staining with Ab-1 is completely blocked by the peptide used for raising this antibody. TGF-beta (aa50) is a growth fac... |
| Clonality | Monoclonal |
| Concentration | 0.1 mg/mL |
| Clone Designation | [MF9] |

| | |
|-------------------|--|
| Molecular Weight | 6 kDa |
| UniProt | P01135 |
| Buffer | PBS, 0.1% BSA, 0.05% azide |
| Source | Animal |
| Application Notes | Immunohistology formalin-fixed 2-4 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM Tris with 1 mM EDTA, pH 9.0, for 10-20 min followed by cooling at RT for 20 minutes Flow Cytometry 0.5-1 ug/million cells/0.1 mL Immunofluorescence 1-2 ug/mL Optimal dilution for a specific application should be determined by user |