

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

### **CD30(Ki-1/779), CF640R conjugate, 0.1mg/mL, Clone: [Ki-1/779], Mouse, Monoclonal BOT-BNC400779-500**

Article Name	CD30(Ki-1/779), CF640R conjugate, 0.1mg/mL, Clone: [Ki-1/779], Mouse, Monoclonal
Biozol Catalog Number	BOT-BNC400779-500
Supplier Catalog Number	BNC400779-500
Alternative Catalog Number	BOT-BNC400779-500-500UL
Manufacturer	Biotium
Host	Mouse
Category	Antikörper
Application	IHC
Species Reactivity	Human
Immunogen	Recombinant human TNFRSF8 protein
Conjugation	CF640R
Product Description	Recognizes a single chain glycoprotein of 105/120 kDa, identified as CD30/Ki-1. CD30 is synthesized as a 90 kDa precursor, which is processed in the Golgi complex into a membrane-bound phosphorylated mature 105/120 kDa glycoprotein. In Hodgkins disea...
Clonality	Monoclonal
Concentration	0.1 mg/mL
Clone Designation	[Ki-1/779]

Molecular Weight	105-120 kDa
UniProt	<a href="#">P28908</a>
Buffer	PBS, 0.1% BSA, 0.05% azide
Source	Animal
Application Notes	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 1-2 ug/mL Immunohistology formalin-fixed 0.5-1 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM Tris with 1 mM EDTA, pH 9.0, for 10-20 min followed by cooling at RT for 20 minutes Flow Cytometry 0.5-1 ug/million cells/0.1 mL Optimal dilution for a specific application should be determined by user